



PRODUCT DETAILS

Product name **GRP Edge Trims and Termination Bars**
 Product type Termination bars, edge, and corner trims

PRODUCT DESCRIPTION

GRP and Aluminium Termination Bars are used as an efficient means of terminating roofing waterproofing membranes at wall abutments.

GRP Edge Trims are used to follow the alignment of the roof edges and create a finished edge.

APPLICATION

GRP Edge Trims and Termination Bars are suitable for both new build and refurbishment projects. They are used for terminating Felt, asphalt and liquid waterproofing on plywood and concrete substrates.

INSTALLATION

- **GRP and aluminium termination bars** should be fixed at maximum **300mm** centres, using suitable fixings
- **GRP Edge Trims** are supplied in **3m** lengths, complete with necessary connectors. There are **10 lengths** per carton
- All drilling and cutting can be carried out using traditional tools
- **GRP Edge Trim** is normally fixed over the first layer of a built-up roofing system, or the sheathing felt when asphalt is used
- The trim should be fixed at **maximum 300mm centres**, using suitable fixings
- All lengths should be close butt jointed, using the connecting pieces supplied
- Thickness: **2mm**

SIZE, FINISH AND COLOUR

Product Code	Product Description	Vertical mm	Horizontal mm	Length m	Colour
ACAF3A7015	Aluminium Corner Trim	60	45	3	Aluminium
ACTF3A7015	Aluminium Edge Trim	60	45	3	Aluminium
ACAA2SPABL	GRP Corner Trim - Asphalt	80	65	3	Black
ACAA2SPAGR	GRP Corner Trim - Asphalt	80	65	3	Grey
ACAA2SPAWH	GRP Corner Trim - Asphalt	80	65	3	Off White
ACAF2SPABL	GRP Corner Trim - Felt	40	60	3	Black
ACAF2LPABL	GRP Corner Trim - Felt	40	85	3	Black
ACAF3SPABL	GRP Corner Trim - Felt	65	60	3	Black
ACAF3SPAGR	GRP Corner Trim - Felt	65	60	3	Grey
ACAF3LPABL	GRP Corner Trim - Felt	65	110	3	Black
ACAF4SPABL	GRP Corner Trim - Felt	100	60	3	Black
ACAF4SPAGR	GRP Corner Trim - Felt	100	60	3	Grey

Product Code	Product Description	Vertical mm	Horizontal mm	Length m	Colour
ACAF4SPAWH	GRP Corner Trim - Felt	100	60	3	White
ACAF4LPABL	GRP Corner Trim - Felt	100	110	3	Black
ACAF4LPAGR	GRP Corner Trim - Felt	100	110	3	Grey
ACAF6SPABL	GRP Corner Trim - Felt	150	60	3	Black
ACAF6SPAWH	GRP Corner Trim - Felt	150	60	3	White
ACAA1SPABL	GRP Corner Trim - Liquid	50	65	3	Black
ACAA3SPABL	GRP Corner Trim - Liquid	100	65	3	Black
ACAA3SPAGR	GRP Corner Trim - Liquid	100	65	3	Grey
ACAA3SPAWH	GRP Corner Trim - Liquid	100	65	3	Off White
ACAA4SPABL	GRP Corner Trim - Liquid	150	65	3	Black
ACAA4SPAGR	GRP Corner Trim - Liquid	150	65	3	Grey
ACAA4SPAWH	GRP Corner Trim - Liquid	150	65	3	White
ACAA5SPABL	GRP Corner Trim - Liquid	200	85	3	Black
ACADE40ABL	GRP Drip Corner Trim	40	40	3	Black
ACADELPABL	GRP Drip Corner Trim	100	60	3	Black
ACTD4003BL	GRP Drip Edge Trim	40	40	3	Black
ACTDE50BL	GRP Drip Edge Trim	50	90	3	Black
ACTDEL03BL	GRP Drip Edge Trim	100	60	3	Black
ACTF6D03BL	GRP Drip Edge Trim - Felt	140	60	3	Black
ACTF6D03GR	GRP Drip Edge Trim - Felt	140	60	3	Grey
ACTF6D03WH	GRP Drip Edge Trim - Felt	140	60	3	White
ACTA2S03BL	GRP Edge Trim - Asphalt	80	65	3	Black
ACTA2S03GR	GRP Edge Trim - Asphalt	80	65	3	Grey
ACTA2S03WH	GRP Edge Trim - Asphalt	80	65	3	Off White
ACTA4S03GR	GRP Edge Trim - Asphalt	150	65	3	Grey
ACTA4S03WH	GRP Edge Trim - Asphalt	150	65	3	Off White
ACTF2S03BL	GRP Edge Trim - Felt	40	60	3	Black
ACTF2L03BL	GRP Edge Trim - Felt	40	85	3	Black
ACTF2L03GR	GRP Edge Trim - Felt	40	85	3	Grey
ACTF3S03BL	GRP Edge Trim - Felt	65	60	3	Black
ACTF3S03GR	GRP Edge Trim - Felt	65	60	3	Grey
ACTF3L03BL	GRP Edge Trim - Felt	65	110	3	Black
ACTF4S03BL	GRP Edge Trim - Felt	100	60	3	Black
ACTF4S03GR	GRP Edge Trim - Felt	100	60	3	Grey
ACTF4S03WH	GRP Edge Trim - Felt	100	60	3	White
ACTF4L03BL	GRP Edge Trim - Felt	100	110	3	Black

Product Code	Product Description	Vertical mm	Horizontal mm	Length m	Colour
ACTF4L03GR	GRP Edge Trim - Felt	100	110	3	Grey
ACTF6S03BL	GRP Edge Trim - Felt	150	60	3	Black
ACTF6S03GR	GRP Edge Trim - Felt	150	60	3	Grey
ACTF6S03WH	GRP Edge Trim - Felt	150	60	3	White
ACTA1S03BL	GRP Edge Trim - Liquid	50	65	3	Black
ACTA3S03BL	GRP Edge Trim - Liquid	100	65	3	Black
ACTA3S03GR	GRP Edge Trim - Liquid	100	65	3	Grey
ACTA3S03WH	GRP Edge Trim - Liquid	100	65	3	Off White
ACTA4S03BL	GRP Edge Trim - Liquid	150	65	3	Black
ACTA5S03BL	GRP Edge Trim - Liquid	200	85	3	Black
ACFB8503BL	GRP Flat Bar	2	85	3	Black
ACTTBA03BL	GRP Termination Bar - Asphalt	75	18	3	Black
ACTTBA03GR	GRP Termination Bar - Asphalt	75	18	3	Grey
ACTTBF03BL	GRP Termination Bar - Felt	62	10	3	Black
ACTTBF03GR	GRP Termination Bar - Felt	62	10	3	Grey
ACTTBF03WH	GRP Termination Bar - Felt	62	10	3	White

SHELF LIFE AND HANDLING

Always use relevant safe manual handling techniques for product of this size and weight.

MATERIAL

Aluminium Manufactured from aluminium alloy

GRP Manufactured from pultruded glass fibre reinforced polyester

PACKAGING

Supplied in cartons of **10 lengths**.

LIMITATIONS OF USE

For professional use only.

GUARANTEES

Defects arising from lack of maintenance or abnormal use may fall outside of the cover of the Proteus Waterproofing guarantee.

GUIDELINES AND STANDARDS

It is the responsibility of the Contractor to thoroughly familiarise themselves with all relevant Codes of Practice and Building Regulations to the works or referred in the specification.

Proteus Waterproofing take no responsibility for misinterpretation or lack of knowledge for third parties.

The works shall be carried out in accordance with the requirements of:

- **BS 6229** Flat roofs with continuously supported flexible waterproof coverings - Code of practice
- **BS 8217** Reinforced bitumen membranes for roofing - Code of practice
- **BS 8000-0** Workmanship on construction sites - Introduction and general principles
- **BS 8000-4** Workmanship on building sites - Code of practice for waterproofing
- **LRWA** [Design Guide for Specifiers](#)
- **S2T** [Safe to Torch](#)
- **GRO** [Code of Best Practice](#)