

SAFETY DATA SHEET

Proteus Pro-Felt® SA Mineral Capsheet

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1.	Product identifier	
Tr	ade name	
	Proteus Pro-Felt® S	A Mineral Capsheet
Pr	roduct no.	
	FPFCSMSF08V1.0	
1.2.	Relevant identified us	es of the substance or mixture and uses advised against
	elevant identified use: Industrial purposes se descriptors (UK RE/	s of the substance or mixture ACH)
	Sectors of use	Description
	SU 19	Building and construction work
	Product category	Description
	PC1	Adhesives, Sealants
U	ses advised against	
	Sectors of use	Description

Sectors of use	Description
LCS "C"	Consumer uses: Private households (= general public = consumers)
Process category	Description

1.3. Details of the supplier of the safety data sheet

Company and address

Proteus Waterproofing Ltd 21a Sirdar Road, Brook Road Industrial Estate SS6 7XF Rayleigh, Essex England +44 (0) 1268 777871 Office Mon-Fri 08:30-17:00 outside of these hours call emergency numbers www.proteuswaterproofing.co.uk

E-mail

enquiries@proteuswaterproofing.co.uk

Revision

04/11/2022

SDS Version

1.0

1.4. Emergency telephone number

In emergency call +44 (0) 1865 407 333 Contact The National Poisons Information Service (dial 111, 24 h service).

See section 4 "First aid measures".

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

All following hazards refer to the partial melted hot product above 80°c during application. Not classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law. The product covered by this document is not subject to issuance of Material/Safety Data Sheets (MSDS/SDS) and is therefore provided on a voluntary basis.

2.2. Label elements

Hazard pictogram(s) Signal word Not applicable. Hazard statement(s)



Ν	ot applicable.
Safet	y statement(s)
G	eneral
	-
Pi	revention
	Do not handle until all safety precautions have been read and understood. (P202)
	Keep cool. (P235)
	Do not breathe dust. (P260)
	Wash hands and exposed skin thoroughly after handling. (P264)
	Do not eat, drink or smoke when using this product. (P270)
	Wear eye protection/protective gloves/protective clothing. (P280)
-	Wear fire resistant or flame retardant clothing. (P283)
R	esponse
	Take off immediately all contaminated clothing. (P361)
St	torage
	-
D	isposal
	Dispose of contents/container to an approved waste disposal plant. (P501)
	rdous substances
A	sphalt
	tional labelling
	UH210, Safety data sheet available on request.
	UH401, To avoid risks to human health and the environment, comply with the instructions for use.
3. Oth	ner hazards
Addi	tional warnings
TI	his mixture/product does not contain any substances considered to meet the criteria classifying them as PBT
	nd/or vPvB.
	his product does not contain any substances considered to be endocrine disruptors in accordance with the riteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Asphalt	CAS No.: 8052-42-4 EC No.: 232-490-9 UK-REACH: Index No.:	40-60%	EUH401	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available. Other information

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

The product is an article and is unlikely to be of any chemical risk.

Inhalation

Exposure is not likely due to the physical state of the product (article).

Acute nose and throat irritation are possible during heat application of product due to the inhalation of potentially hazardous substances such as gas and condensed fumes, especially in poorly or unventilated environments.

Skin contact

Exposure is not likely due to the physical state of the product (article).

In case of skin contact with molten product drench skin with plenty of water if molten product adheres to skin, do NOT pull product off skin, Seek urgent medical attention.

Eye contact

Exposure is not likely due to the physical state of the product (article).

In case of eye contact with molten product, immediately flush with plenty of fresh water. DO NOT pull solidified product away from eye or use solvents, seek urgent medical attention.

Ingestion

Exposure is not likely due to the physical state of the product (article). Burns

Molten/heated product may adhere to skin and cause burns.

- 4.2. Most important symptoms and effects, both acute and delayed None known.
- 4.3. Indication of any immediate medical attention and special treatment needed
 - None known.
 - Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Extinguishing media; Water Mist, Foam, Dry Powder, CO2.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

5.3. Advice for firefighters

Fire fighters should wear appropriate personal protective equipment. Hazchem Code: None

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures No specific requirements.
- 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

6.3. Methods and material for containment and cleaning up

Not applicable due to the physical state of the product (article).

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste. See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Recommended storage material

Keep rolls stored in a vertical position, DO NOT stack.

- Storage temperature
 - 0 40°C

Keep away from direct sunlight, naked flames, heat, sparks & other sources of ignition.

- Incompatible materials
 - **Oxidising Agents**
- 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Asphalt

Long term exposure limit (8 hours) (mg/m³): 5 Short term exposure limit (15 minutes) (mg/m³): 10 The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002. EH40/2005 Workplace exposure limits (Fourth Edition 2020). DNEL

Asphalt



Duration	Route of exposure	DNEL
Long term – Local effects - Workers	Inhalation	2.88 mg/m ³

PNEC

No data available.

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures Exposure is not likely due to the physical state of the product (article).

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure No special when used as intended.

8.3. Individual protection measures, such as personal protective equipment

Generally

Use only UKCA marked protective equipment.

Respiratory Equipment

Work situation	Туре	Class	Colour	Standards
Ensure adequate ventilation, use suitable respiratory protection in enclosed or poorly ventilated areas.	Suitable respiratory protection advice for the correct personal selection can be obtained from EN529:2005			

Skin protection

Work situation	Recommended	Type/Category	Standards	
When handling standard cold product.	Dedicated work clothing should be worn. Wear a protective suit in the event of prolonged periods of work with the product.	-	-	R
When handling molten/hot product	Wear heat/flame resistant clothing and footwear.			

Hand protection

Work situation	Material	Glove thickness (mm)	Breakthrough time (min.)	Standards
When handling standard cold product.	Wear general purpose protection gloves.			
When handling molten/hot product	Wear heat retardant gloves.			

Eye protection

TypeStandardsSafety glasses with sideEN166shields.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties Physical state



Article Colour Various colours Odour / Odour threshold Characteristic pН Not applicable - product is an article Density (g/cm³) 1.5 **Relative density** Not applicable - product is an article Kinematic viscosity Not applicable - product is an article Particle characteristics Not applicable - product is an article Phase changes Melting point/Freezing point (°C) Not applicable - melting point >100°c Softening point/range (waxes and pastes) (°C) Not applicable due to the physical state of the product (article). Boiling point (°C) Not applicable - Boiling point >450°c Vapour pressure Not applicable - product is an article Relative vapour density Not applicable due to the physical state of the product (article). Decomposition temperature (°C) Not applicable - product is an article Data on fire and explosion hazards Flash point (°C) Not applicable - flash point > 200°C Ignition (°C) Not applicable - product is an article Auto flammability (°C) Not applicable - product is an article Lower and upper explosion limit (% v/v) Not applicable - product is an article Solubility Solubility in water Insoluble n-octanol/water coefficient Not applicable - product is an article Solubility in fat (q/L) Not applicable - product is an article 9.2. Other information Evaporation rate (n-butylacetate = 100) Not applicable - product is an article Other physical and chemical parameters No data available. SECTION 10: Stability and reactivity

10.1. Reactivity No data available.
10.2. Chemical stability The product is stable under the conditions, noted in section 7 "Handling and storage".
10.3. Possibility of hazardous reactions None known.
10.4. Conditions to avoid None known.
10.5. Incompatible materials



Oxidising Agents

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law Acute toxicity Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Based on available data, the classification criteria are not met. Serious eye damage/irritation

Based on available data, the classification criteria are not met. Respiratory sensitisation

Based on available data, the classification criteria are not met. Skin sensitisation

Based on available data, the classification criteria are not met. Germ cell mutagenicity

Based on available data, the classification criteria are not met. Carcinogenicity

Based on available data, the classification criteria are not met. Reproductive toxicity

Based on available data, the classification criteria are not met. STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met. Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

None known. Endocrine disrupting properties None known. Other information None known.

SECTION 12: Ecological information

12.1. Toxicity

- No data available.
- 12.2. Persistence and degradability No data available.
- 12.3. Bioaccumulative potential No data available.
- 12.4. Mobility in soil
- No data available.

12.5. Results of PBT and vPvB assessment

- This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.
- 12.6. Endocrine disrupting properties None known.
- 12.7. Other adverse effects None known.

SECTION 13: Disposal considerations

Waste treatment methods

Product is not covered by regulations on dangerous waste. Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

LVVCCUUE	EWC	code
----------	-----	------

17 06 04

05 01 17	Bitumen
17 03 02	Bitumino

Bituminous mixtures other than those mentioned in 17 03 01

Insulation materials other than those mentioned in 17 06 01 and 17 06 03

Specific labelling

Not applicable.

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

ADR		shipping name	14.3 Hazard class(es) 14.4 PG*	14.5 Env**	Other informatio
	Item not subject to ADR/RID/IMDG /IATA Regulations.	-	-	No	See below for additional information.
IMDG	Item not subject to ADR/RID/IMDG /IATA Regulations.	-	-	No	See below for additional information.
ΙΑΤΑ	Item not subject to ADR/RID/IMDG /IATA Regulations.	-	-	No	See below for additional information.
H 14.6. N 14.7.	azchem Code: N Special precaut ot applicable. Maritime trans	one tions for user port in bulk accordi	DR, IATA and IMDG. ng to IMO instruments		
	o data available.	Itory information			

SECTION 16: Other information



Compiled in accordance with REACH Regulation (EC) No 1907/2006, as retained and amended in UK law
Full text of H-phrases as mentioned in section 3
EUH401, To avoid risks to human health and the environment, comply with the instructions for use.
The full text of identified uses as mentioned in section 1
SU 19 = Building and construction work
PC1 = Adhesives, Sealants
Abbreviations and acronyms
ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor
CAS = Chemical Abstracts Service
CE = Conformité Européenne
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
CSA = Chemical Safety Assessment
CSR = Chemical Safety Report
DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level
EINECS = European Inventory of Existing Commercial chemical Substances
ES = Exposure Scenario
EUH statement = CLP-specific Hazard statement
EWC = European Waste Catalogue
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IARC = International Agency for Research on Cancer (IARC) IATA = International Air Transport Association
IBC = Internediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of
1978. ("Marpol" = marine pollution)
OECD = Organisation for Economic Co-operation and Development
PBT = Persistent, Bioaccumulative and Toxic
PNEC = Predicted No Effect Concentration
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
RRN = REACH Registration Number
SCL = A specific concentration limit
SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure
STOT-SE = Specific Target Organ Toxicity - Single Exposure
TWA = Time weighted average
UN = United Nations
UVBC = Unknown or variable composition, complex reaction products or of biological materials
VOC = Volatile Organic Compound
vPvB = Very Persistent and Very Bioaccumulative
Additional information
In accordance with UK-REACH, a safety data sheet is not required for this product. This safety data sheet has been
created on a voluntary basis to distribute relevant information as required by UK-REACH.
The safety data sheet is validated by
Steven D'Silva Quality Manager
Other
A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.
The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not

p (

necessarily correct for use with other chemicals/products. It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en